

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTAKAB1626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 APR 04 STN AnaVist, Version 1, to be discontinued
NEWS 3 APR 15 WPIDS, WPINDEX, and WPIX enhanced with new
predefined hit display formats
NEWS 4 APR 28 EMBASE Controlled Term thesaurus enhanced
NEWS 5 APR 28 IMSRESEARCH reloaded with enhancements
NEWS 6 MAY 30 INPAFAMDB now available on STN for patent family
searching
NEWS 7 MAY 30 DGENE, PCTGEN, and USGENE enhanced with new homology
sequence search option
NEWS 8 JUN 06 EPFULL enhanced with 260,000 English abstracts
NEWS 9 JUN 06 KOREAPAT updated with 41,000 documents
NEWS 10 JUN 13 USPATFULL and USPAT2 updated with 11-character
patent numbers for U.S. applications
NEWS 11 JUN 19 CAS REGISTRY includes selected substances from
web-based collections
NEWS 12 JUN 25 CA/CAPLUS and USPAT databases updated with IPC
reclassification data
NEWS 13 JUN 30 AEROSPACE enhanced with more than 1 million U.S.
patent records
NEWS 14 JUN 30 EMBASE, EMBAL, and LEMBASE updated with additional
options to display authors and affiliated
organizations
NEWS 15 JUN 30 STN on the Web enhanced with new STN AnaVist
Assistant and BLAST plug-in
NEWS 16 JUN 30 STN AnaVist enhanced with database content from EPFULL
NEWS 17 JUL 28 CA/CAPLUS patent coverage enhanced
NEWS 18 JUL 28 EPFULL enhanced with additional legal status
information from the epline Register
NEWS 19 JUL 28 IFICDB, IFIPAT, and IFIUDB reloaded with enhancements
NEWS 20 JUL 28 STN Viewer performance improved
NEWS 21 AUG 01 INPADOCDB and INPAFAMDB coverage enhanced
NEWS 22 AUG 13 CA/CAPLUS enhanced with printed Chemical Abstracts
page images from 1967-1998
NEWS 23 AUG 15 CAOLD to be discontinued on December 31, 2008
NEWS 24 AUG 15 CAPLUS currency for Korean patents enhanced
NEWS 25 AUG 25 CA/CAPLUS, CASREACT, and IFI and USPAT databases
enhanced for more flexible patent number searching
NEWS 26 AUG 27 CAS definition of basic patents expanded to ensure
comprehensive access to substance and sequence
information

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,

AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 13:06:08 ON 28 AUG 2008

=> file reg		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 13:06:17 ON 28 AUG 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 26 AUG 2008 HIGHEST RN 1043895-06-2
DICTIONARY FILE UPDATES: 26 AUG 2008 HIGHEST RN 1043895-06-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.



TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdoc/properties.html>

=>
Uploading C:\Program Files\STNEXP\Queries\10516938.str



```

chain nodes :
1  2  3  4  5  6  7  8
ring nodes :
9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25
chain bonds :
1-2 2-3 3-4 4-5 4-6 6-7 6-8 8-12 9-15 19-24
ring bonds :
9-10 9-14 10-11 11-12 12-13 13-14 15-16 15-19 16-17 17-18 18-19 20-21
20-25 21-22 22-23 23-24 24-25
exact/norm bonds :
1-2 2-3 3-4 4-5 4-6 6-8 9-15 15-16 15-19 16-17
exact bonds :
6-7 8-12 17-18 18-19 19-24
normalized bonds :
9-10 9-14 10-11 11-12 12-13 13-14 20-21 20-25 21-22 22-23 23-24 24-25

isolated ring systems :
containing 9 : 15 : 20 :
```

```


Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:Atom
10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom
20:Atom 21:Atom
22:Atom 23:Atom 24:Atom 25:Atom
```

L1 STRUCTURE UPLOADED

=> d L1

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.46

0.67

FILE 'CAPLUS' ENTERED AT 13:06:51 ON 28 AUG 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 28 Aug 2008 VOL 149 ISS 9

FILE LAST UPDATED: 27 Aug 2008 (20080827/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> s L1 SSS full

REGISTRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress...

Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

FULL SEARCH INITIATED 13:06:55 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 37 TO ITERATE

100.0% PROCESSED 37 ITERATIONS 4 ANSWERS
SEARCH TIME: 00.00.01



L2 4 SEA SSS FUL L1

L3 3 L2

=> d ibib abs hitstr 1-
YOU HAVE REQUESTED DATA FROM 3 ANSWERS - CONTINUE? Y/(N):y

L3 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2004:370913 CAPLUS Full-text
DOCUMENT NUMBER: 140:375166
TITLE: Preparation of nitric oxide releasing selective
cyclooxygenase-2 inhibitors
INVENTOR(S): Wang, Zhaoyin; Young, Robert N.; Zamboni, Robert
PATENT ASSIGNEE(S): Merck Frosst Canada & Co., Can.
SOURCE: PCT Int. Appl., 57 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004037798	A1	20040506	WO 2003-CA1605	20031021
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2503063	A1	20040506	CA 2003-2503063	20031021
AU 2003278039	A1	20040513	AU 2003-278039	20031021
EP 1562914	A1	20050817	EP 2003-769122	20031021
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
US 20060058363	A1	20060316	US 2005-530214	20050404
PRIORITY APPLN. INFO.:			US 2002-420292P	P 20021022
			WO 2003-CA1605	W 20031021
OTHER SOURCE(S):	MARPAT 140:375166			
GI				



AB Novel compds. of formulas I and II [R = H, alkyl; L = bond, alkylidene, cycloalkylidene, aryl, etc.; X = O, S; Y = bond, S, O, (substituted) NH; m = 0-4; n = 1-2; p = 1-4] are prepared, which are nitric oxide-releasing prodrugs useful in the treatment of cyclooxygenase-2 mediated diseases. The invention also encompasses certain pharmaceutical compns. and methods for treatment of cyclooxygenase-2 mediated diseases comprising the use of compds. I or II. The above compds. may be used as a combination therapy with low-dose aspirin to treat chronic cyclooxygenase-2 mediated diseases or conditions while simultaneously reducing the risk of thrombotic cardiovascular events.


IT 685107-04-4P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of nitrosated or nitrosylated prodrugs for cyclooxygenase-2 inhibitors)

RN 685107-04-4 CAPLUS

CN Acetamide, N-[[4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]phenyl]sulfonyl]-2-(nitroxy)- (CA INDEX NAME)



TITLE: Preparation of nitrooxy derivatives of cyclooxygenase-2 inhibitors
 INVENTOR(S): Del Soldato, Piero; Santus, Giancarlo
 PATENT ASSIGNEE(S): Nicox S.A., Fr.
 SOURCE: PCT Int. Appl., 27 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004000781	A2	20031231	WO 2003-EP6502	20030620
WO 2004000781	A3	20041014		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
IT 2002MI1391	A1	20031229	IT 2002-MI1391	20020625
CA 2491209	A1	20031231	CA 2003-2491209	20030620
AU 2003245972	A1	20040106	AU 2003-245972	20030620
EP 1517889	A2	20050330	EP 2003-738069	20030620
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
CN 1662490	A	20050831	CN 2003-814682	20030620
JP 2005530836	T	20051013	JP 2004-514803	20030620
NZ 537043	A	20060929	NZ 2003-537043	20030620
ZA 2004010060	A	20051020	ZA 2004-10060	20041213
MX 2004PA12851	A	20050224	MX 2004-PA12851	20041216
NO 2005000346	A	20050228	NO 2005-346	20050121
US 20060106082	A1	20060518	US 2005-516938	20050913
PRIORITY APPLN. INFO.:			IT 2002-MI1391	A 20020625
			WO 2003-EP6502	W 20030620

OTHER SOURCE(S): MARPAT 140:59410

AB Disclosed are new compds. able to release COX-2 inhibitors and NO (no data) having formula M-T-YA-NO2 [wherein M-T = the residue of a COX-2 selective inhibitor (T = SO₂NH, SO₂NR, CO, O, S, NH, N(SO₂R); R = C1-10 alkyl; the COX-2 selective inhibitor, M-T or M-TOR, has to meet test 2 mentioned in the description); YA = -(B)b0-(C)c0- [b0, c0 = 0,1, with the proviso that b0 and c0 cannot be simultaneously 0; B = TB-X2-TB1; TB = CO, X; X = O, S, NH, NR, R (defined above); TB = CO when T = SO₂NH, SO₂NR-O, S, NH, or N(SO₂R), TB = X when T = CO; TB1 = CO or X (defined above); X2 = a divalent radical selected from the following compds. Q or Q1, etc. (n1, n2 = 0, 1; R2, R3 = H, Me; Y1 = CH2CH2, CH:CH(CH2)n2; n2 = 0, 1)] for the treatment and/or prophylaxis of inflammatory disorders, pain, fever, cardiovascular disease, gastrointestinal disorders, tumors, Alzheimer's disease, or disorders resulting from elevated levels of COX-2. These compds. including 5-nitroxyptanoc acid, 4-nitroxybutyric acid, and 4-nitroxybutyramide, 2-nitroxymethylbenzoic acid ester derivs. mitigate or remove the known side-effects of COX-2 inhibitors. The inflammatory disorders are selected from the group consisting of, but not limited to, arthritis, rheumatoid arthritis, osteoarthritis, allergic rhinitis, sinusitis, chronic obstructive pulmonary diseases, dermatitis, psoriasis, cystic fibrosis, multiple sclerosis, vasculitis and organ


transplant rejection. The cardiovascular diseases are selected from the group consisting of, but not limited to, atherosclerosis, restenosis, coronary artery disease, angina, diabetes mellitus, diabetic nephropathy, diabetic retinopathy, stroke and myocardial infarct. The gastrointestinal disorders are selected from the group consisting of, but not limited to, inflammatory intestinal disorders, Crohn's disease, gastritis, ulcerative colitis, peptic ulcer, hemorrhagic ulcer, gastric hyperacidity, dyspepsia, gastroparesis, Zollinger-Ellison's syndrome, bacterial infections, hypersecretory states associated with systemic mastocytosis or basophilic leukemia and hyperhistaminemia. The disorders resulting from elevated levels of COX-2 are selected from the group consisting of, but not limited to, angiogenesis, arthritis, asthma, bronchitis, menstrual cramps, tendonitis, bursitis, neoplasia, ophthalmic diseases, pulmonary inflammations, central nervous system disorders, allergic rhinitis, atherosclerosis, endothelial disorders, organs and tissues preservation, inhibition and/or prevention of platelets aggregation. Thus, N-[6-[(2,4-difluorophenyl)thio]-2,3-dihydro-1-oxo-1-inden-5-yl]-N-[4-(chloro)butyroyloxymethyl]methanesulfonamide. A solution of chloromethyl (4-chloro)butyrate (1 g, 5.40 mmol) in anhydrous THF (5 mL) was slowly added dropwise in a suspension of N-[6-[(2,4-difluorophenyl)thio]-2,3-dihydro-1-oxo-1-inden-5-yl]methanesulfonamide sodium salt (2.04 g, 5.40 mmol) in anhydrous THF (25 mL) and stirred at room temperature overnight to give, after workup and silica gel chromatog., N-[6-[(2,4-difluorophenyl)thio]-2,3-dihydro-1-oxo-1-inden-5-yl]-N-[4-(chloro)butyroyloxymethyl]methanesulfonamide (I). A solution of I (1 g, 1.98 mmol) in MeCN (20 mL) was added with AgNO₃ (0.67 g, 3.96 mmol), heated at 80° for 15 h in the absence of light, filtered to remove the silver salt, evaporated under vacuum, and purified by chromatog. on a silica gel column to give with n-hexane/ethyl acetate 8/2 as eluent to give 503 mg N-[6-[(2,4-difluorophenyl)thio]-2,3-dihydro-1-oxo-1-inden-5-yl]-N-[4-(nitrooxy)butyroyloxymethyl]methanesulfonamide.

IT 586347-45-7P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of nitrooxy derivs. of cyclooxygenase-2 inhibitors for treatment and/or prophylaxis of inflammatory disorders, pain, fever, cardiovascular disease, gastrointestinal disorders, tumors, or Alzheimer's disease)

RN 586347-45-7 CAPLUS

CN Butanamide, N-[[4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]phenyl]sulfonyl]-4-(nitrooxy)- (CA INDEX NAME)



TITLE: Preparation of nitrate prodrugs able to release nitric oxide in a controlled and selective way and their use for prevention and treatment of inflammatory, ischemic and proliferative diseases

INVENTOR(S): Scaramuzzino, Giovanni

PATENT ASSIGNEE(S): Italy

SOURCE: Eur. Pat. Appl., 313 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent


LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1336602	A1	20030820	EP 2002-425075	20020213
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
PRIORITY APPLN. INFO.:			EP 2002-425075	20020213

GI



AB New pharmaceutical compds. of general formula F-(X)q (I) [q = 1-5, preferably 1; F is chosen among drugs such as δ -tocopherol, clidanac, diethylhomospermine, glucosamine, thymocartin, vofopitant, etc.; X is chosen among 4 groups M, T, V, and Y where M = ONO2, nitrate salt, nitrite ester, ONO, thionitrite, SNO, etc., T = OR1-M, OR1OR1-M, SR1NR2R1-M, NR2R1-M, NR2R1SR1-M, etc., R1 = saturated or unsatd., linear or branched alkylene, having 1 to 21 carbon atoms or a saturated or unsatd., optionally heterosubstituted or branched cycloalkylene, having 3 to 7 carbon atoms or an optionally heterosubstituted arylene having 3 to 7 carbon atoms; R2 = H, saturated or unsatd., linear or branched 1-21 carbon atom alkyl, saturated or unsatd. optionally heterosubstituted or branched 3-7 carbon cycloalkyl, optionally heterosubstituted 3-7 carbon aryl; R1, R2 = OH, SH, F, Cl, Br, OPO3H2, CO2H, etc.; bond between F and T = carboxylic ester, carboxylic amide, glycoside, azo, thioester, sulfonic ester, etc.; V = Z-M2, OZ-M2, NR2Z-M2, R1Z-M2, OR1-M2, OR1Z-M2, M2 = M, R1-M, OR1-M, SR1-M, NR2R1-M; ZM2 = COCH2CH(M2)CH2N+Me3, COCH2CH2COM2, COCH(NHR2)CH2M2, etc.; Y = 4-COC6H4CH2ONO2, O(CH2)4ONO2, COCH(NH2)CH2ONO2, 3-OC6H4CH2ONO2, etc.] were prepared For example, α -tocopherol reacted with 4-HO2CC6H4CH2ONO2 to give the nitroxymethyl derivative II. The compds. of general formula I are nitrate prodrugs which can release nitric oxide in vivo in a controlled and selective way and without hypotensive side effects and for this reason they are useful for the preparation of medicines for prevention and treatment of inflammatory, ischemic, degenerative and proliferative diseases of musculoskeletal, tegumental, respiratory, gastrointestinal, genito-urinary and central nervous systems.


IT 586347-45-7P 586347-46-8P 586347-62-8P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of nitrate prodrugs for treating or preventing inflammatory, ischemic, degenerative, and proliferative diseases)


RN 586347-45-7 CAPLUS

CN Butanamide, N-[[4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]phenyl]sulfonyl]-4-(nitrooxy)- (CA INDEX NAME)




RN 586347-46-8 CAPLUS

CN Butanoic acid, 4-[[[4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]phenyl]sulfonyl]amino]-2,3-bis(nitrooxy)-4-oxo- (CA INDEX NAME)



RN 586347-62-8 CAPLUS

CN Butanamide, N-[[4-[3-(difluoromethyl)-5-(3-fluoro-4-methoxyphenyl)-1H-pyrazol-1-yl]phenyl]sulfonyl]-4-(nitrooxy)- (CA INDEX NAME)



REFERENCE COUNT: 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> file marpat		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	16.83	196.34
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-2.40	-2.40

FILE 'MARPAT' ENTERED AT 13:07:32 ON 28 AUG 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

FILE CONTENT: 1961-PRESENT VOL 149 ISS 7 (20080822/ED)

SOME MARPAT RECORDS ARE DERIVED FROM INPI DATA FOR 1961-1987

MOST RECENT CITATIONS FOR PATENTS FROM MAJOR ISSUING AGENCIES
(COVERAGE TO THESE DATES IS NOT COMPLETE):

US	20080167493	10	JUL	2008
DE	102007009957	03	JUL	2008
EP	1939208	02	JUL	2008
JP	2008159496	10	JUL	2008
WO	2008086729	24	JUL	2008
GB	2444641	11	JUN	2008
FR	2910897	04	JUL	2008
RU	2330028	27	JUL	2008
CA	2615024	14	JUN	2008

Expanded G-group definition display now available.

Effective December 15th the iteration and answer limits in MARPAT
have increased from 100,000 to 200,000 for both on-line and batch
searches. For more information on MARPAT search limits, type HELP
SLIMITS at an arrow prompt.

=> s L1 SSS full
FULL SEARCH INITIATED 13:07:38 FILE 'MARPAT'
FULL SCREEN SEARCH COMPLETED - 131 TO ITERATE

100.0% PROCESSED 131 ITERATIONS 1 ANSWERS
SEARCH TIME: 00.00.01

L4 1 SEA SSS FUL L1

=> log off
ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:y
STN INTERNATIONAL LOGOFF AT 13:07:47 ON 28 AUG 2008